



ORIENTATION




PAVEMENT REPAIR
N.T.S.

STATE ROAD	A	B	C	D	E	F
	A - E X" = STONE SIZE & (Y) = LEVEL e.g. 0.50"(2)					
MAJOR ARTERIAL	0.375"(2)	0.50"(2)	1.00"(2)	0.50"(3)	1.00"(3)	P.A.B.
MINOR ARTERIAL	1.5"	2"	3"	4"	6"	12"
COLLECTOR	1.5"	1.5"	3"			12"
LOCAL	3"					12"



PAVEMENT REPAIR TABLE
(SUPERPAVE)




PAVEMENT DETAIL
N.T.S.




BITUMINOUS CONCRETE LIP CURBING
N.T.S.



CONCRETE APRON WITH CONCRETE CURB DETAIL
N.T.S.




HANDICAPPED PARKING SIGN
N.T.S.




SIGNAGE DETAILS
N.T.S.


NOTES:
CORE BORE 4" x 6" DEEP IF EXISTING BRICK, CONCRETE OR BITUMINOUS CONCRETE.
MATERIALS TO MEET CT DOT FORM 817 SPECIFICATIONS AS SUPPLEMENTED.




BREAKAWAY CHANNEL POST IN SIDEWALK INSTALLATION DETAIL
N.T.S.




CONCRETE SIDEWALK DETAIL
N.T.S.




LONGITUDINAL SECTION



CONCRETE CURB DETAIL
N.T.S.




DIAGONAL SIDEWALK RAMP
N.T.S.




DOME SECTION
N.T.S.


NOTES:
1. INSTALL THE EDGE OF THE DETECTABLE WARNING 6" FROM THE EDGE OF THE ENTRANCE DRIVEWAY.
2. TO REPAIR WHEELCHAIR WHEELS TO ROLL BETWEEN DOMES, ALIGN DOMES ON A SQUARE GRID IN THE DIRECTION OF PEDESTRIAN TRAVEL.



HAYBALE RING DETAIL
N.T.S.



CONSTRUCTION ENTRANCE DETAIL
N.T.S.



SILT FENCE DETAIL
N.T.S.

- A) MINIMUM LENGTH OF SILT FENCE IS 15 LF
- B) MAXIMUM POST SPACE IS 10 LF
- C) JOINTS ONLY AT SUPPORT POST WITH MINIMUM 6" OVERLAY, SECURELY SEALED
- D) SEDIMENTATION DEPOSITS SHALL BE REMOVED WHEN IT REACHES 1/2 THE HEIGHT OF THE SILT FENCE
- E) SILT FENCE SHALL NOT BE USED IN A WATER COURSE
- F) UPON ESTABLISHMENT OF GROUND COVER ON DISTURBED AREA AND WHEN DIRECTED BY THE ENGINEER, FENCE WILL BE REMOVED AND SEDIMENTATION WILL BE THINLY SPREAD UPON EXISTING GROUND COVER

NO.	DATE	REVISIONS AND SUBMISSIONS
2	2-14-18	REVISED AND ISSUED TO P&Z
1	12-14-17	ISSUED TO P&Z

SIGNATURE: _____ DRAWING NO: DT2

JOB NO: 2028A-1 DATE: DECEMBER 14, 2017
DRAWN BY: DRS CHECKED BY: HWM, TSN
SCALE: _____

McChord Engineering Associates, Inc.
Civil Engineers and Land Planners
1 Grumman Hill Road
Wilton, CT 06897 (203) 834-0569

PLAN PREPARED FOR
230 EAST AVENUE, LLC
NORWALK, CONNECTICUT

CONSTRUCTION NOTES AND DETAILS
230 EAST AVENUE
NORWALK, CONNECTICUT